
_	2	3	4 5
			REV REVISION DETAILS ECO DATE BY ABY
			0 UPDATE FORMAT N/A 01-14-2014 RR KS
A			I ADDED PDM-S4XXX OPTION N/A 03-26-2014 RR KS ,
			2UPDATED TO LATEST FORMAT. MOVED COMPONENT INSERT OPTIONS TO SHEET 3, MOUNTING OPTION TO SHEET 4, COMPONENT OPTIONS TO SHEET 5, TABLES TO SHEET 6. UPDATED & ADDED SEVERAL NOTES. COVER TETHER OPTIONS B & D TO OBSOLETE. MOUNTING OPTION I TO OBSOLETE. VIEWS ADDED TO BETTER SHOW DIFFERENT MOUNTING OPTIONS. ADDED PANEL CUTOUTS FOR SINGLE & GANGED OPTIONS. ADDED COVERS PDM-SC & SC42-2016A-A001, MOUNT CLIPS PDM-TMC, PDM-SMC, GORE VENT SERVICE PART SC46-2000B-A000 TO SHEET 5. UPDATED COMPONENT NOTES. ADDED TERMINAL REMOVAL TOOL TO TABLE. CORRECTED CABLE RANGE FOR I2077413, ALL DIMENSIONS CHANGED TO REFERENCE.NP-00376309-30-2021JWK JJW
			3 PART NUMBER WAS PDM-SXXXX. UPDATED DESCRIPTION. NP-005842 01-15-2024 JWK JML
в∥			4 UPDATED LAYOUT WITH INDIVIDUAL SHEETS FOR HOUSING TERMINAL/SEAL INFORMATION. UPDATED NOTES. NP-006161 05-31-2024 JWK JML
			5 UPDATED NOTES & TETHER. UPDATED AVAILABILITY NP-006188 06-18-2024 JWK JML



ISO VIEW FOR REF ONLY

3


D			
	is not for public disclo to loan, sell or disclo information is prohibited	sure. Possession of the info se the information. Unauthor	operty of GEP Power Products. It rmation does not convey any right ized reproduction or use of the turned to GEP Power Products upon
	CHECKED DURING ANY	NS ON FEATURES TO BE SET-UP ADJUSTMENTS, MAINTENANCE ON TOOLING.	DIMENSIONS OR FEATURES TO BE CHECKED FROM RUN-TO-RUN
		ES UNLESS SPECIFIED	THIRD ANGLE PROJECTION
	METRIC TOL	ENGLISH TOL	ANGULAR TOL = $\pm 2^{\circ}$ FRACTION TOL = $\pm 1/64$ IN
E		2 PL DEC. = ±.01 3 PL DEC. = ±.005	DIMENSIONS INSIDE PARENTHESES OR CONTAINING "REF" ARE FOR REFERENCE ONLY.
	This is unpublished we personnel. Further diss unpublished work is pro	emination or disclosure to	s work is limited to a select the public is PROHIBITED. This t law and all rights thereunder


С


2

		r products	16830 Pheasant Brookfield, Wl			
PART NO:	RT NO: PDM-S SERIES (SALES)					
DESCRIPTION: POWER DISTRIBUTION MODULE - MODEL S, SERIES DRAWING						
CUSTOMER: STANDARD						
METRIC (MM)	rev 5	SHEET I OF IO	SCALE   :	B		

С







I6830 Pheasant Drive Brookfield, WI 53005						
PART NO: PDM-S SERIES (SALES)						
DESCRIPTION:	DULE - MODEL AWING	S,				
CUSTOMER: STANDARD						
METRIC (MM)	rev 5	SHEET 3 OF IO	SCALE I:I	B B		

5


5

А

В

## TERMINAL AND CABLE SEAL INFORMATION SC42-2005A-B001

3



		Та	ble A		
	DELPHI 2	BO MET	RI-PACK TE	RMINALS	
PART #	CABLE RANGE (	mm²)	N	IATERIAL	PLATING
12077413	3		Т	IN BRASS	TIN
12129493	2.0-3.0		Т	IN BRASS	TIN
12077411	0.8-1.0	0.8-1.0		IN BRASS	TIN
12084201	0.35-0.50		Т	IN BRASS	TIN
12176387	5		BERYL	LIUM COPPER	SILVER/NICKEL
12176388	2.0-3.0		BERYLLIUM COPPER		SILVER/NICKEL
12176389	0.8-1.0		BERYL	LIUM COPPER	SILVER/NICKEL
	<b>DELPHI 280 METRI</b>	-PACK	CABLE SEA	LS (FOR REF. ONL'	Y)
PART #	PART #		BLE DIA.	MATERIAL	COLOR
REEL	LOOSE		DLE DIA.	IVIATERIAL	COLOK
12015360	12015193	3.	.45-4.3	SILICONE	BLUE
12015359	12010293	2.3	81-3.49	SILICONE	LT. GRAY
12015284	12015323	2.	03-2.85	SILICONE	GREEN
12041352	12041351	2.	03-2.42	SILICONE	TAN
12089444	12089679	1.	.6-2.15	SILICONE	PURPLE
12034365	12015899	1.	29-1.70	SILICONE	DK. RED
	12010300		PLUG	SILICONE	GREEN
DELPHI	280 METRI-PACK	FERMIN	NAL REMO	AL TOOL (FOR RE	F. ONLY)
		PART	# 12094430		

2

2

А

В

D

3

4

I6830 Pheasant Drive Brookfield, WI 53005						
PART NO: PDM-S SERIES (SALES)						
POWE			S,			
CUSTOMER: STANDARD						
rev 5	SHEET 4 OF IO	SCALE  :	B B			
	Powe	PDM-S SERIES POWER DISTRIBUTION MC SERIES DR STAND/ REV SHEET	POWER PRODUCTS PDM-S SERIES (SALES) POWER DISTRIBUTION MODULE - MODEL SERIES DRAWING STANDARD REV SHEET SCALE			

5


5

А

В

## TERMINAL AND CABLE SEAL INFORMATION COMING SOON

3



		Та	ble A		
	DELPHI 2	BO MET	RI-PACK T	ERMINALS	
PART #	CABLE RANGE (I	mm²)	N	IATERIAL	PLATING
12077413	3		Т	IN BRASS	TIN
12129493	2.0-3.0		Т	IN BRASS	TIN
12077411	0.8-1.0		Т	IN BRASS	TIN
12084201	0.35-0.50		Т	IN BRASS	TIN
12176387	5		BERYL	LIUM COPPER	SILVER/NICKEL
12176388	2.0-3.0		BERYL	LIUM COPPER	SILVER/NICKEL
12176389	0.8-1.0		BERYL	LIUM COPPER	SILVER/NICKEL
	DELPHI 280 METRI	-PACK	CABLE SEA	LS (FOR REF. ONL	Y)
PART #	PART #	CA1	BLE DIA.	MATERIAL	601.00
REEL	LOOSE		DLE DIA.	MATERIAL	COLOR
12015360	12015193	3.	.45-4.3	SILICONE	BLUE
12015359	12010293	2.5	81-3.49	SILICONE	LT. GRAY
12015284	12015323	2.0	03-2.85	SILICONE	GREEN
12041352	12041351	2.0	03-2.42	SILICONE	TAN
12089444	12089679	1.	.6-2.15	SILICONE	PURPLE
12034365	12015899	1.2	29-1.70	SILICONE	DK. RED
	12010300		PLUG	SILICONE	GREEN
DELPHI	280 METRI-PACK	FERMIN	NAL REMO	VAL TOOL (FOR RI	F. ONLY)
		PART	# 12094430	)	

Table B					
	DELPHI 63	BO MET	RI-PACK TI	ERMINALS	
PART #	RANGE (mm	<sup>2</sup> )	N	IATERIAL	PLATING
15317331	4.00-6.00		Т	IN BRASS	TIN
12052456	3.00-5.00		Т	IN BRASS	TIN
12052455	1.00-2.00		Т	IN BRASS	TIN
12052457	0.50-0.80		Т	IN BRASS	TIN
15317332	4.00-6.00		BERYL	LIUM COPPER	SILVER/NICKEL
15305232	15305232 3.00-5.00			LIUM COPPER	SILVER/NICKEL
	DELPHI 480 MET	RI-PAC	K CABLE S	EALS (REF. ONLY)	
NOTE: 630 CAVIT	TIES IN THIS HOUSING	ARE DE	SIGNED TO E	E USED WITH 480 SE	RIES CABLE SEALS
PART #	PART #	CAL	BLE DIA.	MATERIAL	601.00
REEL	LOOSE	CAI	BLE DIA.	MATERIAL	COLOR
15344644	15363779	1.2	20-2.00	SILICONE	YELLOW
12052931	12052930	1.6	50-2.15	SILICONE	YELLOW
	15327998	2.0	00-2.70	SILICONE	BLUE
12048433	12048441	2.0	00-2.90	SILICONE	WHITE
15344645	15363604	2.0	00-2.90	SILICONE	WHITE
12052452	12048442	2.8	30-3.90	SILICONE	DK. RED
15337204	15327864	2.8	30-3.80	SILICONE	DK. RED
15344646	15363605	3.6	50-4.50	SILICONE	GREEN
10733034	10733145	4.4	40-5.10	SILICONE	GRAY
15344104	15344647	4.4	40-5.10	SILICONE	GRAY
	12066082	6	PLUG	SILICONE	LT. GREEN
DELPH	II METRI-PACK TEI	RMINA	L REMOVA	L TOOL (FOR REF.	ONLY)
		PART #	<i>‡</i> 12094430	)	

2

А

В

D

2

3

4

4

I6830 Pheasant Drive Brookfield, WI 53005						
PART NO:	F	PDM-S SERIES	S (SALES)			
DESCRIPTION:	POWE	R DISTRIBUTION MO SERIES DR/		S,		
CUSTOMER:	STANDARD					
METRIC (MM) 5 5 0F 10		SCALE  :	size B			


5

А

В

С

		2	3	4
			COVER OP	TIONS
А	SC27-2000A-BC cover - pdm-s, plain	)01 SC27-2000E cover - pdm-s	B - B O O I 5, gep	SC42-20 6A-A00  cover with gore vent - pdm-s - plain
В	(136.9)			
С				
D				
E				
		2	3	4




		2	3	4
			ACCESSORIES	
A				
	A	<u> </u>	ALL DO DO	
		PDM-SCT tether - cover		
В			SC38-200( TPA - PDM-S, (USE 6 PER ASSY FOR OR 5 PER ASSY FOR SCALE	200 TERM SC42-2005A-B001 SC42-2005B-B001) T:1
		PDM - TMC		
		(SIDE) MOUNTING CLIP M6 SCALE I:I		
С			TPA - PDM	G SOON s, ato term pr sc42-2005B-B001) : 1:1
		PDM-SMC (top) mounting clip m6 scale 1:1		
D			PDM- diode (was pdm scale	KEY A-SK)
		SC 46 - 2000B - A000		
	(	GORE VENT GORE VENT (INCLUDED WITH SC42-2016A-A001 & SC42-2019A-A001) SCALE I:1		
E				
		2	3	4


I6830 Pheosont Drive Brookfield, WI 53005						
PART NO: PDM-S SERIES (SALES)						
DESCRIPTION:	DULE - MODEL AWING	S,				
CUSTOMER: STANDARD						
METRIC (MM)	rev 5	sheet 7 OF IO	SCALE I:2	size B		

5

А

В





ſ		2	3	4	
А		DEPI	NNING INSTRUCT	TONS	
	280 TERMINAL DEPINNING		630 T	630 TERMINAL DEPINNING	
		EXTRACTION TOOL TIP INSERTED IN THIS AREA OF CAVITY		EXTRACTION TOOL TIP INSERTED IN THIS AREA OF CAVITY	
В	TOP VIEW SCALE 3:1	280/630 TERMINAL DEPINNING TOOL	TOP VIEW SCALE 2:1	280 DEF	
				-TERMINAL RETAINING FEATURE	
	RE	RMINAL TAINING ATURE REMOVE TERMINAL IN THIS DIRECTIC		REMO	
С	INSTALLED 280 TERMINAL SIDE VIEW SCALE 2:1	EXTRACTION TOOL INSERTED AND TERMINAL RELEASED SIDE VIEW SCALE 2:1	INSTALLED 630 TERMII SIDE VIEW SCALE I.5:I	NAL EXTRACTION TOOL INSERTED AND TERMINAL RELEASED SIDE VIEW SCALE I.5:I	
D					
E					

5 А 280/630 TERMINAL DEPINNING TOOL В EMOVE TERMINAL N THIS DIRECTION С ЕD D 16830 Pheasant Drive Brookfield, WI 53005 PDM-S SERIES (SALES) POWER DISTRIBUTION MODULE - MODEL S, SERIES DRAWING PART NO: E DESCRIPTION: STANDARD CUSTOMER: SHEET IO OF IO SCALE |:| rev 5 size B METRIC (MM) 5